

To: Ostrander, David[Ostrander.David@epa.gov]
From: Braun, Richard
Sent: Tue 9/29/2015 2:46:53 PM
Subject: RE: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _
Redacted

Yesterday, when I asked Marilyn to provide the operational date, she replied she would have to contact the RM at the site. Apparently, that question made its way to Steve and he said he would prefer that such requests go thru him. Marilyn never got back to me. If you want, I could ask again.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov

From: Ostrander, David
Sent: Tuesday, September 29, 2015 8:10 AM
To: Braun, Richard
Subject: RE: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _ Redacted

Do you know if the contract performance dates/schedule changed from the proposal in the contract award? Steve indicates they have until the 21st to get the system running.

Thanks

From: Braun, Richard
Sent: Tuesday, September 29, 2015 8:03 AM
To: Ostrander, David
Cc: Boydston, Michael; Mills, Bethany; Williams, Laura; Sandoval, Joni

Subject: Interim Water Treatment Plant for GKM FW: Alexon - Proposal for Gold King Mine _
Redacted

David,

Our prime contractor, ER, has provided a redacted copy of the proposal from their subcontractor Alexco. I recommend that you clear any public release of information with FOIA or Mike Boydston.

FYI, I am still waiting for contractor(ER) to provide a redacted copy of the rest of the subcontract.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov

From: Marilyn Smith [<mailto:m.smith@erllc.com>]

Sent: Monday, September 28, 2015 4:35 PM

To: Braun, Richard; Mills, Bethany


Subject: Alexco - Proposal for Gold King Mine _ Redacted

Marilyn Smith

Program Manager

Environmental Restoration LLC

<http://www.erllc.com/>



Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.